



**5th on property sale**  
**Thursday, 26<sup>th</sup> August**  
**2021, 11:30am**

*Horned bulls have white management tags/ Poll bulls have yellow management tags.*

Lot	Sire	Horn	Age (mths)	Weight (Kg)	Scrotal	Morphology	Pigment
1	Marshall	H	23	927	37.5	74%	100/100
2	Marshall	H	24	907	37.5	92%	100/100
3	Marshall	H	24	963	43	77%	100/100
4	Marshall	H	24	837	40	89%	100/100
5	Marshall	H	24	857	40	91%	100/100
6	M009	PP	24	853	37.5	90%	100/100
7	Withdrawn						
8	Conrad	PP	23	1054	44	75%	100/100
9	Gunpowder	S	24	869	42	82%	100/100
10	M009	PP	23	859	39.5	83%	100/90
11	M009	S	24	863	37	86%	100/100
12	M009	S	23	873	39.5	98%	100/100
13	M009	PP	24	859	37	92%	100/100
14	M009	S	24	839	40.5	93%	100/100
15	M009	P	24	847	39	95%	100/100
16	M009	PP	24	791	36.5	78%	100/100
17	M035	S	24	777	38	94%	100/100
18	M035	H	23	914	37.5	88%	80/80
19	M035	S	24	831	36.5	92%	100/100
20	M035	S	24	879	39	82%	100/100
21	M035	H	24	947	40	96%	100/100
22	Guardian	S	22	893	39.5	78%	100/100
23	Guardian	P	22	821	40.5	81%	100/80
24	Guardian	PP	22	843	39	87%	100/100
25	Guardian	S	23	877	39	82%	100/100
26	Guardian	S	22	793	39	74%	100/100
27	Guardian	PP	22	827	40	85%	90/100
28	Regulator	S	22	879	40	80%	100/100
29	Regulator	S	22	849	37.5	95%	100/100
30	Regulator	S	21	853	38	86%	100/100
31	Regulator	S	23	859	36	96%	100/100
32	Regulator	S	20	841	40.5	62%	100/100
33	Advance	H	22	733	39	89%	100/100
34	M035	P	22	831	40	95%	100/100
35	Victor	S	22	891	37.5	91%	100/100
36	Victor	H	22	861	38	89%	100/100

37	M035	P	21	831	39.5	92%	100/100
38	M035	S	21	883	40	84%	95/100
39	Homeland	S	24	843	35	92%	100/100
40	Homeland	S	23	937	38.5	85%	100/100
41	Homeland	S	23	843	40	90%	100/100
42	Homeland	S	23	853	40	96%	100/100
43	Victor	S	22	867	37.5	72%	100/100
44	M035	S	24	765	40.5	84%	100/100
45	Withdrawn						
46	Justin	P	22	804	39	91%	75/80
47	Justin	PP	22	872	37.5	95%	100/100
48	Justin	PP	22	874	39	94%	100/100
49	Justin	P	23	872	37.5	77%	100/100
50	Lawloit	P	23	867	40	89%	95/100
51	Marshall	H	23	821	37.5	73%	100/100
52	Inquest	H	22	891	40	62%	100/100
53	Inquest	H	22	839	39.5	77%	90/100
54	M009	S	23	889	45	92%	100/100
55	N089	P	22	896	40	89%	100/100
56	N089	S	22	844	39	89%	100/100
57	Regulator	P	20	758	37.5	70%	100/100
58	Guardian	S	20	848	39	80%	100/100
59	Guardian	S	21	828	39	70%	100/100
60	Regulator	S	21	748	40.5	80%	100/100
61	Inquest	P	22	751	39	67%	100/100